Application No. 09/822,539 TRANSMITTAL FORM Filing Date March 30, 2001 (to be used for all correspondence after initial filing) First Named Inventor Priya Govindarajan Art Unit 2182 **Examiner Name** Casiano, A. Total Number of Pages in This Submission 23

42390P10459

Attorney Docket Number

ENCLOSURES (check all that apply)							
Fee Transmittal F	Form	Drawing(s)	to	ofter Allowance Communication			
Fee Attach	ned	Licensing-related Papers		Appeal Communication to Board Appeals and Interferences			
Amendment / Res	sponse	Petition		Appeal Communication to TC Appeal Notice, Brief, Reply Brief)			
After Final Affidavits/d	leclaration(s)	Petition to Convert a Provisional Application	☐ F	Proprietary Information			
Extension of Time Request		Power of Attorney, Revocation Change of Correspondence Address		Status Letter			
Express Abandonment Request		Terminal Disclaimer		Other Enclosure(s) olease identify below):			
Information Disclosure Statement		Request for Refund	Re	eturn postcard.			
PTO/SB/08		CD, Number of CD(s)					
Certified Copy of Priority Document(s)		Landscape Table on CD					
Response to Missing Parts/ Incomplete Application Basic Filing Fee		Remarks					
Declaration/POA							
Response to Missing Parts under 37 CFR 1.52 or 1.53							
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT							
Firm	Gordon R. Lindeen III, Reg. No. 33,192						
Individual name	or						
Signature / All All To							
Date March 16, 200		6					
CERTIFICATE OF MAILING/TRANSMISSION							
I hereby certify that this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Mail Stop Appeal Brief-Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.							
Typed or printed name Debbie Casias							
Signature D. Sb'c		Casias	ate	March 16, 2006			



Complete if Known FEE TRANSIV Application Number 09/822,539 Filing Date March 30, 2001 First Named Inventor Patent fees are subject to annual revision. Priya Govindarajan **Examiner Name** Casiano, A. Applicant claims small entity status. See 37 CFR 1.27. Art Unit 2182 **TOTAL AMOUNT OF PAYMENT** 500.00 42390P10459 Attorney Docket No. METHOD OF PAYMENT (check all that apply) Check Credit card Money Order None Other (please identify): Deposit Account Deposit Account Number: 02-2666 Deposit Account Name: Blakely, Sokoloff, Taylor & Zafman LLP For the above-identified deposit account, the Director is hereby authorized to: (check all that apply) Charge fee(s) indicated below, except for the filing fee Charge fee(s) indicated below \square Charge any additional fee(s) or underpayment of fee(s) under 37 CFR §§ 1.16, 1.17, 1.18 and 1.20. **FEE CALCULATION** Large Entity Small Entity Fee Fee Fee Fee Fee Description Fee Paid Code Code (\$) (\$) 1051 130 2051 65 Surcharge - late filing fee or oath 1052 50 2052 ²⁵ Surcharge - late provisional filing fee or cover sheet. 2053 130 2053 130 Non-English specification 120 2251 1251 60 Extension for reply within first month 2252 1252 450 ²²⁵ Extension for reply within second month 1253 1,020 2253 510 Extension for reply within third month 1,590 2254 1254 795 Extension for reply within fourth month 1255 2,160 2255 1,080 Extension for reply within fifth month 1401 500 2401 ²⁵⁰ Notice of Appeal 1402 500 2402 ²⁵⁰ Filing a brief in support of an appeal 500.00

SUBMITTED BY

Name (Print/Type) Gordon R. Lindeen III

Signature

Signature

Registration No. (Attorney/Agent)

Registration No. (Attorney/Agent)

Telephone

(303) 740-1980

Date

03/16/06

1,510 Petition to institute a public use proceeding

180 Submission of Information Disclosure Stmt

395 Filing a submission after final rejection (37 CFR § 1.129(a))

395 For each additional invention to be examined (37 CFR § 1.129(b))

SUBTOTAL (2)

500.00

50 Processing fee under 37 CFR 1.17(q)

500 Request for oral hearing

130 Petitions to the Commissioner

1,000

1,510

130

50

180

790

790

Other fee (specify)

2403

2451

2460

1807

1806

1809

2810

1403

1451

1460

1807

1806

1809

1810

Docket No.: 42390P10459

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Patent

In re the Pate	nt Application of:	Z.	
	Priya Govindarajan et al. MAR 2.0	2006) E	
Serial No.:	09/822,539	A art I Imit	: 2182
Filed:	3/30/2001)	r: Angel L. Cassiano
For: Metho	od and Apparatus for Discovering)	•
	ork Topology)	
•)	
)	
		.)	

Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313

APPEAL BRIEF IN SUPPORT OF APPELLANT'S APPEAL TO THE BOARD OF PATENT APPEALS AND INTERFERENCES

Sir:

Applicants (hereafter "Appellants") hereby submit this Brief in triplicate in support of its appeal from a final decision by the Examiner, mailed November 3, 2005 in the above-captioned case. Appellants respectfully request consideration of this appeal by the Board of Patent Appeals and Interferences for allowance of the above-captioned patent application.

An oral hearing is not desired.

03/21/2006 HTECKLU1 00000025 022666 09822539 01 FC:1402 500.00 DA

TABLE OF CONTENTS

I.	REAL PARTY IN INTEREST	3
II.	RELATED APPEALS AND INTERFERENCES	3
III.	STATUS OF THE CLAIMS	3
IV.	STATUS OF AMENDMENTS	3
V.	SUMMARY OF THE CLAIMED SUBJECT MATTER	4
VI.	GROUNDS OF REJECTION	.8
VII.	ARGUMENT	9
VIII	CONCLUSION	11
IX.	CLAIMS APPENDIX	i
X.	EVIDENCE APPENDIX	vii
XI.	RELATED PROCEEDINGS APPENDIX	viii

I. **REAL PARTY IN INTEREST**

The invention is assigned to Intel Corporation of 2200 Mission College

Boulevard, Santa Clara, California 95052-8119.

II. RELATED APPEALS AND INTERFERENCES

To the best of Appellant's knowledge, there are no appeals or interferences that

are related to, will directly affect, will be directly affected by, or have a bearing on the

Board's decision in the present appeal.

III. STATUS OF THE CLAIMS

Claims 1-22 are currently pending in the above-referenced application. No claims

have been allowed.

IV. STATUS OF AMENDMENTS

Claims 1-22 were finally rejected in the final Office Action mailed November 3,

2005. The Examiner confirmed the final rejection of these claims in an Advisory Action

mailed January 17, 2006.

In response to the final Office Action mailed November 3, 2005, rejecting claims

1-22 under 35 U.S.C. §103(a), Appellants filed a Response After Final pursuant to 37

C.F.R. § 1.116 on December 22, 2005. Subsequently, the Advisory Action was mailed

on January 17, 2006 maintaining all rejections in the final Office Action. In response,

Appellants filed a timely Notice of Appeal on January 31, 2006. A copy of all claims on

appeal is attached hereto as the Appendix of Claims.

Appellants respectfully traverse each of the grounds of rejection.

Docket No.: 42390P10459

Application No.: 09/822,539

3

V. SUMMARY OF THE CLAIMED SUBJECT MATTER

Any networked domain will typically have a number of devices responsible for routing the traffic around the network. In order to survive a failure of any one device or link, a network is typically designed with redundant back-up routes. Some networks can have multiple interconnected back-up routes. Over time, devices can be moved, added, removed or replaced, routes can be moved or altered and device configurations can be changed. As a result, any documentation of the original network design, if it was created, becomes outdated. When problems occur, troubleshooting is made more difficult without accurate information on the network's topology. When new demands are to be applied to the network, it may not be possible to determine how to reconfigure the network without knowledge of the network's existing topology. When performance is to be measured or improved, it is difficult to determine how to develop the network without understanding all of the links and which devices are connected to each one. *See Background of the Invention, page 2, paragraph 2.*

The present invention can be implemented by using PING and Traceroute at sources distributed throughout a network and then piecing all of the collected information together to determine the overall topology of the network. The PING and Traceroute sources will be called Smartlinks. They respond to policies sent to them from a designated central server. In brief, the Smartlinks register themselves to the server and the server then sends policies to each of the Smartlinks. The Smartlinks execute the policies by running Traceroutes to each other. This allows them to identify all of the hosts that are between each Smartlink. This information is then sent to the central policy server which compiles the reports from each Smartlink to determine the topology of all of

the network that is within the Smartlinks. The server can then render the topology in the form of lists, charts, graphs or a database. <u>See Detailed Description of the Invention</u>, page 6, paragraph 6.

The elements of Claim 1 are provided below with references to the example structures and operations provided by embodiments shown in the drawing figures. The references to the Detailed Description can be found quickly by reference to the drawing figures.

registering (Figure 2, 44) a first network device (Figure 1: SL1, (Smartlink 1), Figure 2: 42) and a second network device (Figure 1, SL2, (Smartlink 2)) to a policy server (Figure 2: 40);

receiving (46) network discovery policies from the policy server at the first and second network devices (SL1, SL2);

identifying (48) the second network device (SL2) at the first network device (SL1) in accordance with the received policies;

sending (48, run traceroute) a message from the first network device to the second network device, the message establishing the identity of any network device between the first network device and the second network device in accordance with the received policies;

(50, 52, 54, 60) compiling the established identities to determine the topology of the network.

The elements of Claim 10 are provided below with references to the example structures and operations provided by embodiments shown in the drawing figures. The

references to the Detailed Description can be found quickly by reference to the drawing figures.

A machine-readable medium having stored thereon data representing sequences of instructions which, when executed by a machine, cause the machine to perform operations. <u>See Detailed Description of the Invention</u>, page 16, paragraphs 31-32

registering (Figure 2, 44) a first network device (Figure 1: SL1, (Smartlink 1), Figure 2: 42) and a second network device (Figure 1, SL2, (Smartlink 2)) to a policy server (Figure 2: 40);

receiving (46) network discovery policies from the policy server at the first and second network devices (SL1, SL2);

identifying (48) the second network device (SL2) at the first network device (SL1) in accordance with the received policies;

sending (48, run traceroute) a message from the first network device to the second network device, the message establishing the identity of any network device between the first network device and the second network device in accordance with the received policies;

(50, 52, 54, 60) compiling the established identities to determine the topology of the network.

The elements of Claim 16 are provided below with references to the example structures and operations provided by embodiments shown in the drawing figures. The references to the Detailed Description can be found quickly by reference to the drawing figures.

registering (Figure 2, 44) a first network device (Figure 1: SL1, (Smartlink 1), Figure 2: 42) and a second network device (Figure 1, SL2, (Smartlink 2)) to a policy server (Figure 2: 40);

receiving (46) network discovery policies from the policy server at the first and second network devices (SL1, SL2);

identifying (48) the second network device (SL2) at the first network device (SL1) in accordance with the received policies;

sending a Traceroute message (48) from the first network device to the second network device, to determine addresses of any network device between the first network device and the second network device in accordance with the received policies;

(50, 52, 54, 60) compiling the addresses to determine the topology of the network.

VI. GROUNDS OF REJECTION

A. Claims 1-4, 6-8, 10-12, 14-18 and 21-22 stand rejected claims under 35 U.S.C. §103(a) as being unpatentable over Nelson, et al., (hereafter "Nelson") U.S. Patent No.5,835,720 in view of Melchione et al., U.S. Patent Application No. 2002/0091819 (hereafter "Melchione").

B. Claims 5, 13 and 19 stand rejected under 35 U.S.C. §103 (a) as being unpatentable over Nelson in view of Melchione, in further view of Aggarwal, et al., U.S. Patent No. 5,675,741 (hereafter "Arrarwal").

C. Claims 9 and 20 stand rejected under 35 U.S.C. §103 (a) as being unpatentable over Nelson in view of Melchione, in further view of Fishler, et al., U.S. Patent No. 6,507,646 (hereafter "Fishler").

Grounds B and C rely on ground A. A separate review of grounds B and C is not sought by this appeal.

No claims were indicated as allowable.

VII. ARGUMENT

REJECTION OF CLAIMS 1-22 UNDER 35 USC §103 IS IMPROPER
BECAUSE THE REFERENCES DO NOT SHOW THE ELEMENTS OF
THE CLAIMS WHETHER ALONE OR IN COMBINATION

The Examiner has rejected claims 1-4, 6-8, 10-12, 14-18 and 21-22 under 35

U.S.C. § 103(a) as being unpatentable over Nelson in view of Melchione. First, there is no policy server in either reference with which to register. Nelson at col. 5 line 39 discloses that "the network manager 40 builds its hierarchical data structure by first accessing its own IP address table and local routing table." Nelson at col. 6, lines 16-29 further discloses that "[t]he network manager uses the routing table to find more routers and retrieve their tables until it has completed the construction of the hierarchical data structure." Therefore, the network manager is not a policy server. Melchione at page 10, claim 1 discloses "a policy orchestrator server . . . to determine a hierarchical tree structure containing the nodes based upon location of each node in the network topology." Accordingly, the policy orchestration server is also not a policy server. Therefore, neither Nelson nor Melchione disclose "registering a first network device and a second network device to a policy server" as recited by claim 1.

Second, claim 1 recites "receiving <u>network discovery policies</u> from the policy server at the first and second network devices." Melchione at page 1, paragraph 10 discloses, "determining policies for each node in the hierarchical tree structure to be enforced by an agent corresponding to each node. The policies . . . are [then] selectively inherited along the hierarchical tree structure." Melchione at page 5, paragraph 51 further discloses that a policy "may be . . . to *scan all executable files for viruses*, *clean*

the file if possible or quarantine the file if the file cannot be cleaned upon detecting a virus, and send infection reports to the network administrator by default, . . . to report all infections to the local administrator and may be set at the location level [or] to delete any infected files of a specific user or local client device that may be set at the level of the specific user and/or specific local client device." Accordingly, the policies in Melchione are virus scanning and detection policies, not network discovery policies as in claim 1. Therefore, Melchione fails to disclose receiving network discovery policies from a policy server at the first and second network devices, as recited by claim 1.

Third, claim 1 recites "determine[ing] the topology of the network." Instead, Melchione determines a hierarchical tree structure by using the network topology, but does not actually "determine the topology of the network" as recited by claim 1. Absent any teaching of these three limitations of claim 1, in either reference, claim 1 is believed to be allowable.

Taken in combination the references still fail to teach or suggest the invention of claim 1. Nelson describes a network topology discovery system. Melchione describes an application configuring system that operates <u>based on</u> an already known network topology (para. 10, line 2; claim 1, line 10). The only combination suggested by the references, use Nelson to discover the network topology and Melchione to configure applications based on that topology. There is no motivation to modify the network application management system of Melchione to perform topology discovery. The Examiner's rejection is therefore inappropriate and Appellants respectfully request that the rejection be reversed.

VIII. CONCLUSION

Appellant respectfully submits that all the appealed claims in this application are patentable and requests that the Board of Patent Appeals and Interferences overrule the Examiner and direct allowance of the rejected claims.

This brief is submitted in triplicate, along with a check for \$500.00 to cover the appeal fee for one other than a small entity as specified in 37 C.F.R. § 1.17(c). Please charge any shortages and credit any overpayment to out Deposit Account No. 02-2666.

Respectfully submitted,

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN

Date: March 16, 2006

Gordon R. Lindeen III Attorney for Appellant

Registration Number: 33,192

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN 12400 Wilshire Boulevard Seventh Floor Los Angeles, CA 90025-1030 (303)-740-1980

IX. APPENDIX OF CLAIMS (37 C.F.R. § 1.192(c)(7))

1. A method comprising:

registering a first network device and a second network device to a policy server; receiving network discovery policies from the policy server at the first and second network devices;

identifying the second network device at the first network device in accordance with the received policies;

sending a message from the first network device to the second network device, the message establishing the identity of any network device between the first network device and the second network device in accordance with the received policies;

compiling the established identities to determine the topology of the network.

- 2. The method of Claim 1, wherein identifying the second network device comprises receiving an address of the second network device from a third network device.
- 3. The method of Claim 1, wherein the first network device comprises a plurality of network interfaces, the method further comprising selecting an interface to the second device by sending a packet from each of the plurality of network interfaces to an address of the second network device and selecting an interface that corresponds to any reply received from the second network device.
- 4. The method of Claim 3, wherein sending a packet from each of the plurality of network interfaces comprises sending a PING packet from each of the plurality of network interfaces.

5. The method of Claim 1, wherein sending the message comprises sending a plurality of messages to the second network device, each message having an incrementally greater time to live until a message reaches the second network device.

6. The method of Claim 1, wherein sending the message comprises executing a Traceroute utility at the first network device to determine the route of a packet between the first and second network device.

7. The method of Claim 1, further comprising: identifying a third network device at the first network device;

sending a message from the first network device to the third network device, the message establishing the identity of any network device between the first network device and the third network device.

- 8. The method of Claim 1, further comprising sending a packet to a third network device to provoke the third network device to identify an address corresponding to a port at which the packet was received and wherein compiling further comprises compiling the identified address.
- 9. The method of Claim 1, further comprising sending a packet to a third network device addressed to a port that does not exist on the third network device in order to provoke the third network device to send an error message to the first network device that identifies an address of the third network device corresponding to the port at which the packet was received and wherein compiling further comprises compiling the identified address.

10. A machine-readable medium having stored thereon data representing sequences of instructions which, when executed by a machine, cause the machine to perform operations comprising:

registering a first network device and a second network device to a policy server; receiving network discovery policies from the policy server at the first and second network devices;

identifying the a second network device at the a first network device in accordance with the received policies;

sending a message from the first network device to the second network device, the message establishing the identity of any network device between the first network device and the second network device in accordance with the received policies;

compiling the established identities to determine the topology of the network.

- 11. The medium of Claim 10, wherein the instructions for identifying the second network device further comprise instructions which, when executed by the machine, cause the machine to perform further operations comprising receiving an address of the second network device from a third network device.
- 12. The medium of Claim 10, wherein the first network device comprises a plurality of network interfaces, the instructions further comprising instructions which, when executed by the machine, cause the machine to perform further operations comprising selecting an interface to the second device by sending a packet from each of the plurality of network interfaces to an address of the second network device and selecting an interface that corresponds to any reply received from the second network device.

13. The medium of Claim 10, wherein the instructions for sending the message further comprise instructions which, when executed by the machine, cause the machine to perform further operations comprising sending a plurality of messages to the second network device, each message having an incrementally greater time to live until a message reaches the second network device.

14. The medium of Claim 10, further comprising instructions, when executed by the machine, cause the machine to perform further operations comprising:

identifying a third network device at the first network device;

sending a message from the first network device to the third network device, the message establishing the identity of any network device between the first network device and the third network device.

15. The medium of Claim 10, further comprising instructions which, when executed by the machine, cause the machine to perform further operations comprising sending a packet to a third network device to provoke the third network device to identify an address corresponding to a port at which the packet was received and wherein the instructions for compiling comprise further instructions which, when executed by the machine, cause the machine to perform further operations comprising compiling the identified address.

16. A method comprising:

registering a first network device and a second network device to a policy server; receiving network discovery policies from the policy server at the first and second network devices:

identifying the second network device at the first network device in accordance with the received policies;

sending a Traceroute message from the first network device to the second network device, to determine addresses of any network device between the first network device and the second network device in accordance with the received policies;

compiling the addresses to determine the topology of the network.

- 17. The method of Claim 16, wherein identifying the second network device comprises receiving an identification of the second network device, including its address from a policy server.
- 18. The method of Claim 16, wherein the first network device comprises a plurality of network interfaces, the method further comprising selecting an interface to the second device by sending a PING message from each of the plurality of network interfaces to an address of the second network device and selecting an interface that corresponds to any reply received to the PING message from the second network device.
- 19. The method of Claim 16, wherein the Traceroute message comprises a plurality of messages to the second network device, each message having an incrementally greater time to live until a message reaches the second network device.
- 20. The method of Claim 16, further comprising sending a packet to a third network device addressed to a port that does not exist on the third network device in order to provoke the third network device to send an error message to the first network device that identifies an address of the third network device corresponding to the port at which the packet was received and wherein compiling further comprises compiling the identified address.

- 21. The method of Claim 1, further comprising sending the established identities to the policy server in accordance with the received policy.
- 22. The method of Claim 21 wherein compiling comprises compiling the established identities at the policy server to determine the topology of the network.

X. EVIDENCE APPENDIX

None.

XI. RELATED PROCEEDINGS APPENDIX

None.